

Wagonway[®] COMMERCIAL

LIGHTING FIXTURES



 **Wagonway**[®]
COMMERCIAL

LIGHTING FIXTURES

Why Wagonway?

There are many advantages of working with us, our objective is to provide high-quality products at a very reasonable price and to offer unparalleled service and support.

- **Wholesale Pricing**

We offer attractive pricing for large purchases of all our industrial outdoor lighting fixtures.

- **Customer Project Services**

Every project has its unique demands. Because of that, we deliver solutions. If our existing product range doesn't meet your needs, our dedicated team collaborates closely with you to develop customized products to complete your project's specifications. We offer attractive pricing for large purchases of all our industrial outdoor lighting fixtures.

- **Customer Rebate Program**

Our industry-first rebate program for our lighting fixtures rewards customer loyalty. Start being rewarded with every purchase.

- **Product Warranty**

Our hassle-free warranty process provides our customers with additional peace of mind.

- **Energy Efficient Fixtures**

We recognize the benefits of providing energy-efficient fixtures, and that is why we offer a wide selection of energy-efficient fixtures to help lower your energy bills and are better for the environment.

- **After Sales Support**

We provide ongoing support and assistance, including installation guidance, troubleshooting tips, or warranty services to ensure customers have a positive experience with Wagonway products.



Visit us at: www.wagonway.com
for more details about our products
and services.

Wagonway Industrial & Outdoor Light Fixtures.

We provide a range of products tailored for industrial and outdoor lighting applications. Our fixtures are specifically made for use in diverse settings, including factories, warehouses, sports courts, roads, pathways, urban public spaces, and more. Committed to delivering cutting-edge LED technology, our focus is on offering sustainable lighting solutions that ensure energy efficiency and reliable performance over the years.





Wagonway
High Bay-Plus
 NSF & HACCP Certified

High Bay-Plus

High Bay Plus is a breakthrough in industrial lighting.


The smooth housing is NSF certified and suitable for wash-down with high pressure water jets.

The highly efficient heat dissipation combines performance with function due to the uni-body design.



Product Features:

- Food Processing: NSF & HACCP Certified
- Low Voltage: 100 - 277 VAC & High Voltage: 277 - 480 VAC
- IP66 & IP69K
- No toxic chemicals, smooth body design, non-exposed stainless steel screws, no glass, and anti UV.
- UGR<19 with honeycomb diffuser available.
- Full Certificates: UL, DLC, SAA, EMC, LM79, D-mark, NSF, & HACCP.



Wagonway SKU	Power (Watt)	Efficacy (Ra80)	Lumens	Net Wt. (lbs.)	Size (DxH (inch))
HB10-100	100W	135 lm/W	13,500 lm	15.9	19.25 x 7.87
HB10-120	120W	135 lm/W	16,200 lm	15.9	19.25 x 7.87
HB10-150	150W	135 lm/W	20,250 lm	15.9	19.25 x 7.87
HB10-200	200W	135 lm/W	27,000 lm	15.9	19.25 x 7.87
HB10-100-H	100W	155 lm/W	15,500 lm	15.9	19.25 x 7.87
HB10-120-H	120W	155 lm/W	18,600 lm	15.9	19.25 x 7.87
HB10-150-H	150W	155 lm/W	23,250 lm	15.9	19.25 x 7.87
HB10-200-H	200W	155 lm/W	31,000 lm	15.9	19.25 x 7.87

Disclaimer: Technical data is subject to change without prior notice.




High Bay-Select

High Bay-Select delivers high lumen output with various beam angles, making it ideal for high mounting application. The plug and play sensor helps to maximize energy savings. The innovative heat sink design minimizes heat while prohibiting dust accumulation. High Bay-Select is an excellent choice for high dust environments such as paper processing, chipboard, or steel processing.



Product Features:

- The first 200 lm/W UFO high bay.
- Power Selectable.
- Mounting options: eye-bolt, hook, ceiling, & pendant.
- Compact light-weight design lowers shipping costs.
- No dust accumulation design and better heat dissipation.
- Various lens optics and mounting brackets.
- Plug-and-play motion sensors available.



Wagonway
High Bay-Select
 The First 200 lm/W UFO

Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens	Net Wt. (lbs.)	Size (DxH (inch))
HB05-100	100W	200 lm/W	20,000 lm	8.6	14.17 x 7.32
HB05-120	120W	200 lm/W	24,000 lm	8.6	14.17 x 7.32
HB05-150	150W	200 lm/W	30,000 lm	8.6	14.17 x 7.32
HB05-200	200W	200 lm/W	40,000 lm	9.5	14.17 x 7.32
HB05-240	240W	190 lm/W	45,600 lm	9.5	14.17 x 7.32

Disclaimer: Technical data is subject to change without prior notice.




High Bay-Select Plus

High Bay-Select Plus offers 165 lm/W selectable power output and three beam angles (60°, 90°, & 120°), perfect for high mounting applications. The plug-and-play motion sensor allows for maximum energy savings. Zero dust accumulation design helps improve heat dissipation. High Bay-Select Plus is an excellent luminaire for warehouses, manufacturing, shopping centers, airports, and industrial facilities.



Product Features:

- Power-selectable.
- Efficacy: 165 lm/W.
- Mounting options: eye-bolt, hook, ceiling, pendant.
- Light weight design saves on shipping costs.
- No dust accumulation design and improves heat dissipation.
- IP65 & IK08.
- Various lens optics and mounting brackets optional.
- Plug-and-play sensors available.



Wagonway
High Bay-Select Plus
 Compact 165 lm/W Selectable Power


Wagonway SKU	Power (Watt)	Efficacy (Ra80)	Lumens	Net Wt. (lbs.)	Size (DxH (inch))
HB20-100	100W	165 lm/W	16,500lm	3.3	9.76 x 6.14
HB20-150	150W	165 lm/W	24,750lm	4.4	10.47 x 6.37
HB20-200	200W	165 lm/W	33,000lm	5.0	11.81 x 6.57

Disclaimer: Technical data is subject to change without prior notice.




High Bay-Comp

High Bay-Comp is an economical and compact designed high bay luminaire with three diameter options with multiple outputs. With its optimized compact design, it saves shipping costs. Additionally, the extruded cooling fins contribute to excellent heat-dissipation management and extend the LED's life span. An easily added plug-and-play occupancy sensor gives you maximum flexibility, performance and lifespan.



Features:


- Robust and Compact Design: Three diameters - 9-in., 10-in, and 11-in. to save on delivery and storage
- Intelligent Control: Twist microwave motion sensor and PIR sensor, 0 - 10V dimmable.
- Multiple Installations: Loop hanging and ceiling mounting.
- Optional Reflectors: Polycarbonate and aluminum reflectors to minimize glare and optimize optical control.



Wagonway
High Bay-Comp
 Largest model is less than a foot in diameter

Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens	Net Wt. (lbs.)	Size (DxH (inch))
HB15-100	100W	140 lm/W	14,000 lm	3.5	9.21 x 7.12
HB15-120	120W	140 lm/W	16,800 lm	3.5	9.21 x 7.12
HB15-150	150W	140 lm/W	21,000 lm	3.8	9.84 x 7.60
HB15-200	200W	140 lm/W	28,000 lm	5.3	11.0 x 7.72


Disclaimer: Technical data is subject to change without prior notice.



Mod

Mod offers a large light-emitting surface, which delivers high light uniformity and excellent performance with low glare. Its Glare UGR value is a low 19 with grid, and is ideal for manufacturing, warehouse, commercial and industrial facility applications.

Additionally, it is a perfect solution for indoor sports facilities and is designed to the DIN 57710-13 sports hall ball test.



Product Features:

- High-protective structure design, IP66 and IK10.
- Modular design.
- Good performance in anti-glare control.
- Flexible intelligent control for more energy saving.
- Multiple mounting options.

Wagonway

Mod

Sports Hall Ball Test to DIN 57710-13

Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens	Net Wt. (lbs.)	Size (LxWxH (inch))
LHB05-100	100W	140 lm/W	14,000 lm	7.7	13.4 x 12.8 x 2.4
LHB05-150	150W	140 lm/W	21,000 lm	8.2	13.4 x 12.8 x 2.4
LHB05-200	200W	140 lm/W	28,000 lm	14.8	26.7 x 12.8 x 2.4
LHB05-300	300W	140 lm/W	42,000 lm	17.2	26.7 x 12.8 x 2.4
LHB05-400	400W	140 lm/W	56,000 lm	23.6	40.2 x 12.8 x 2.4




Wagonway

Sport

Robust LED Sports Light up to 96,000 lm


Sport

Wagonway Sport LED flood light is suitable for high-mount applications such as large football stadiums and plazas. The fixture is available in 480W & 600W with narrow beam angles to maximize light while controlling uniformity and glare.



Product Features:

- Superior thermal performance ensures the LED's operate at a suitable temperature to maximize lifespan.
- Multiple light distributions for different applications.
- Compatible with different intelligent control modes.



Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens	Net Wt. (lbs.)	Size (LxWxH (inch))
FL05-480	480W	130 lm/W (12°) 160 lm/W (30°, 55°)	62,400 lm (12°) 76,800 lm (30°, 55°)	33.5	20.3 x 19.3 x 18.4
FL05-600	600W	130 lm/W (12°) 160 lm/W (30°, 55°)	78,000 lm (12°) 96,000 lm (30°, 55°)	35.9	20.3 x 19.3 x 18.4


Disclaimer: Technical data is subject to change without prior notice.



Wagonway
MultiFlex
 Powerful & Reliable Sports Lighting


MultiFlex

A versatile flood light with full offerings from 200W to 1,200W. This fixture is ideal to retrofit the 400W to 1,500W traditional HID lamps. The modular design assembles quickly and with easy adjustments can accommodate a variety of field conditions, mounting heights, and lens angles for optimal illumination.



Product Features:

- The compact design offers quick assembly and accommodates a variety of installation options.
- Modular design from 200W to 1200W.
- Ideal to retrofit the 400W to 1500W legacy fixtures.
- Multiple optics lens optional 10°/ 15°/30°/45°/60° and asymmetric.
- Optional 10-20kV surge protection available.



Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens	Net Wt. (lbs.)	Size (LxWxH (inch))
FL10-200	200W	130 lm/W	26,000 lm	13.2	12.6 x 12 x 4.7
FL10-400	400W	130 lm/W	52,000 lm	23.1	17.3 x 13.8 x 6.3
FL10-600	600W	130 lm/W	78,000 lm	33.1	22.1 x 13.8 x 4.7
FL10-800	800W	130 lm/W	104,000 lm	37.5	28.5 x 26.3 x 10.6
FL10-1200	1200W	130 lm/W	156,000 lm	48.5	33.3 x 26.3 x 10.6
FL10-200-H	200W	140 lm/W	28,000 lm	13.2	12.6 x 12 x 4.7
FL10-400-H	400W	140 lm/W	56,000 lm	23.1	17.3 x 13.8 x 6.3
FL10-600-H	600W	140 lm/W	84,000 lm	33.1	22.1 x 13.8 x 4.7
FL10-800-H	800W	140 lm/W	112,000 lm	37.5	28.5x26.3x10.6
FL10-1200-H	1200W	140 lm/W	168,000 lm	48.5	33.3x26.3x10.6

Disclaimer: Technical data is subject to change without prior notice.



Solar Fin

Integrated Solar Street Light



Solar Fin

Wagonway's Solar Fin is a game-changer for Solar lighting.

The al-in-one design with integrated solar panel, battery, smart controller, and motion sensor make this system easy to install and very reliable.

For Retrofit Projects

Our innovative hybrid Solar technology allows you to install lights that are primarily Solar powered but provide peace of mind with secondary electrical grid supply - a first for the US Solar lighting industry!

For New Projects


If you are looking for 100% Solar, without backup power, now there is an economical and easy way to bring light to areas without access to electric grid.



Hybrid Solar Technology

Product Features:

- Super high efficient system up to 200lm/W.
- Power: 10W, 20W, 30W, 40W, 50W, & 60W (up to 12,000 lm).
- IP65 certified: Can withstand extreme weather conditions.
- LiFePO4 battery: Longer lifetime and can continuously work for 3 days on a 8-hour charge.
- Higher conversion mono-crystalline silicon panel higher than most traditional solar panels.
- Integrated Motion Detection: Allows for unique possibilities to set lighting schedules based on your specific preferences at different times during the night.
- Multiple Mounting Options: Post top, side-entry, and clamp bracket mount.



Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens	Net Wt. (lbs.)	Size (LxWxH (inch))
SL05-10	10W	200 lm/W	2,000 lm	11.0	31.8 x 11.6 x 5.8
SL05-20	20W	200 lm/W	4,000 lm	12.6	31.8 x 11.6 x 5.8
SL05-30	30W	200 lm/W	6,000 lm	30.6	31.8 x 11.6 x 5.8
SL10-40	40W	200 lm/W	8,000 lm	13.9	38 x 16.9 x 7.4
SL10-50	50W	200 lm/W	10,000 lm	31.7	38 x 16.9 x 7.4
SL10-60	60W	200 lm/W	12,000 lm	33.1	38 x 16.9 x 7.4

Disclaimer: Technical data is subject to change without prior notice.



Max Solar Fin

20,000 lm Integrated Solar Street Light



Max Solar Fin

Wagonway's Max Solar Fin is an improvement for Solar lighting.

This fixture is a very powerful all-in-one integrated design with solar panel, battery, controller, and motion sensor make this system easy to install and very reliable.


Providing light up to 3 days on a 8-hour charge!

For Retrofit Projects

Our innovative hybrid Solar technology allows you to install lights that are primarily Solar powered but provide peace of mind with secondary electrical grid supply - a first for the US Solar lighting industry!


For New Projects

If you are looking for 100% Solar, without a need for back-up power, now there is an economical and easy way to bring light to areas without access to the electric grid.



Product Features:

- Super high system efficiency up to 200lm/W.
- Power: 30W, 40W, 50W, 60W, 80W, & 100W (up to 20,000 lm).
- IP65 and IK08 double protection.
- LiFePO4 battery: Longer lifetime and can continuously work for 3 days on a 8-hour charge.
- Higher conversion mono-crystalline silicon panel - higher than most traditional solar panels.
- Intelligent Control System: Allows for unique possibilities to set lighting schedules based on your specific preferences at different times during the night.
- Multiple Mounting Options: Post top, side-entry, and clamp bracket mount.
- Integral PIR motion detector brings light levels to maximum when detecting people or vehicles, giving a sense of safety and security and maximizing energy usage.



Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens	Net Wt. (lbs.)	Size (LxWxH (inch))
SL15-30	30W	200 lm/W	6,000 lm	29.8	30.3 x 16.6 x 13.4
SL15-40	40W	200 lm/W	8,000 lm	36.4	43.3 x 16.6 x 13.4
SL15-50	50W	200 lm/W	10,000 lm	37.5	43.3 x 16.6 x 13.4
SL15-60	60W	200 lm/W	12,000 lm	44.1	50.5 x 16.6 x 13.4
SL15-80	80W	200 lm/W	16,000 lm	47.4	50.5 x 16.6 x 13.4
SL15-100	100W	200 lm/W	20,000 lm	53	60.3 x 16.6 x 13.4

Disclaimer: Technical data is subject to change without prior notice.



Solar Sail

Integrated Solar Street Light



Solar Sail


Hybrid Solar Technology

Our Solar Sail light fixture is available in five sizes, making it suitable for a number of different applications. The fixture comes with smart control, built in microwave motion sensor, and timer dimming. With the adjustable mounting angle, LED module, and removable battery this solar light fixture offers efficient installation and easy maintenance.



Product Features:

- All in one design.
- Efficacy 195lm/W.
- Built in microwave motion sensor and timer dimming function.
- Higher conversion Mono-crystalline photovoltaic solar panel.
- Luminaire size length and width can be customized.
- Easy maintainance with removable battery.



Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens	Net Wt. (lbs.)	Size (LxWxH (inch))
SL20-30	30W	195 lm/W	5,850 lm	16.94	26.1 x 14.3 x 2.9
SL20-40	40W	196 lm/W	7,800 lm	19.58	33.4 x 14.3 x 2.9
SL20-60	60W	197 lm/W	11,700 lm	25.96	42.3 x 14.3 x 3.1
SL20-80	80W	198 lm/W	15,600 lm	34.76	43.2 x 19.4 x 3.1
SL20-100	100W	199 lm/W	19,500 lm	39.6	53.5 x 19.4 x 3.1

Disclaimer: Technical data is subject to change without prior notice.



TopStar

Stylish with Multiple Mounting Options




TopStar

TopStar is a well-designed LED post top and landscape lighting for parks, walkways, etc. The multiple mounting options make it optimal for all kinds of applications. This series provides a 3CCT adjustable and power selectable options in the field. Various optics provides efficient and uniform lighting distribution possibilities. It also delivers a full cutoff and is dark sky friendly.



Product Features:

- Optional backup possible.
- Power Selectable.
- CCT Selectable.
- Multiple mounting.
- More than 10 optics for projects.
- High output efficiency up to 150lm/W
- 1-10V dimming, photocell or microwave sensor.
- Akzo outdoor powder coating for strong anti-corrosion.
- Tool-less maintenance.
- Compatible with NEMA , Zhaga book18 socket.



Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens	Net Wt. (lbs.)	Size (DxH (inch))
ST05-30	30W	150 lm/W	4,500 lm	11.7	15.7 x 3.2
ST05-50	50W	150 lm/W	7,500 lm	11.7	15.7 x 3.2
ST05-60	60W	150 lm/W	9,000 lm	11.7	15.7 x 3.2
ST05-75	75W	150 lm/W	11,250 lm	11.7	15.7 x 3.2
ST05-150	150W	150 lm/W	22,500 lm	13.45	15.7 x 3.2


Disclaimer: Technical data is subject to change without prior notice.



Wagonway

Solar TopStar

Stylish with Multiple Mounting Options



Solar TopStar


Solar Technology

The Solar TopStar light fixture is the ultimate choice for outdoor lighting, adding elegance to any landscape or street. This fixture is very attractive, efficient, and without the need to install electrical infrastructure the fixture is very cost effective.



Product Features:

- Power Selectable.
- CCT Selectable.
- Contemporary and architectural design.
- Multiple mounting.
- High output efficiency up to 150lm/W
- 3 kinds of optional optic lenses available.
- Special outdoor powder coating for strong anti-corrosion.
- Tool-less maintenance.
- Compatible with NEMA.



Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens	Net Wt. (lbs.)	Size (DxH (inch))
SL25-05	5W	170 lm/W	850 lm	19.4	16.6 x 3.1
ST05-10	10W	170 lm/W	1,700 lm	19.4	16.6 x 3.1

Disclaimer: Technical data is subject to change without prior notice.



Blade

Stylish Area and Site Luminaire




Blade

Blade is designed for sustained, long-term performance with advanced thermal management, an elegantly simple heat sink and industry leading surge protection. This economical product line provides value-oriented area lighting solutions for a variety of applications without compromising quality or performance.



Product Features:

- The lumen package ranges from 4,350-46,500 nominal lumens, replace 70W – 1000W HID luminaires.
- Vertical heat fins that are optimal for heat dissipation while keeping a smooth outer surface.
- The LED driver chamber can be opened separately.
- Different types of mounting brackets are available, such as a pole-arm (square or round), slip fitter, trunnion, and U bracket as floodlight.
- Optional backlight control shield.
- Plug-and-play sensors.
- ANSI 3G rated for high-vibration applications.
- Compact and lightweight design with low EPA.
- Warranty: 5-Years.



Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens (f110%)	Net Wt. (lbs.)	Size (LxWxH (inch))
ST10-30	30W	145 lm/W	4,350 lm	6.2	12.4 x 8.3 x 3.3
ST10-40	40W	145 lm/W	5,800 lm	6.3	12.4 x 8.3 x 3.3
ST10-60	60W	145 lm/W	8,700 lm	6.5	12.4 x 8.3 x 3.3
ST10-100-H	100W	155 lm/W	15,500 lm	10.3	15.6 x 11.3 x 3.2
ST10-150-H	150W	155 lm/W	23,250 lm	10.5	15.6 x 11.3 x 3.2
ST10-200-H	200W	155 lm/W	31,000 lm	15.4	24.6 x 11.9 x 3.2
ST10-300-H	300W	155 lm/W	46,500 lm	16.7	24.6 x 11.9 x 3.2

Disclaimer: Technical data is subject to change without prior notice.



Cutlass

Stylish Area and Site Luminaire




Cutlass

Cutlass combines elegance with high performance, offering quick customization and streamlining inventory through CCT & Wattage selectable, tool-less lens & driver swap. It caters to nearly every expectation for area lighting, perfect for parking lots, residential streets, urban areas, rural roadways, and plazas.



Product Features:

- Up to 155 Lumens per Watt.
- 2 sizes from 90W to 300W (13,950 to 46,500 lumen).
- Available in 120-277Vac, 120-347Vac, 277-480Vac.
- 3 CCT & 3 Wattage adjustable by DIP switches.
- Type III, Type IV, Type V distributions selectable.
- Tool-free replacement for lens and drivers.
- Reserved visor holes for customization.
- Photocell Microwave PIR.
- IP65 & IK08, die-cast aluminum housing.
- Slipfitter, trunnion and adjustable arm mounting optional.
- Warranty: 5-Years.



Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens	Net Wt. (lbs.)	Size (DxH (inch))
ST15-150	150W	155 lm/W	23,250 lm	10.1	18.3 x 13.2 x 2.6
ST15-300	300W	155 lm/W	46,500 lm	14.3	22.6 x 15.9 x 2.6

Disclaimer: Technical data is subject to change without prior notice.



Pathfinder

Smiling Happy Face




Pathfinder

Pathfinder is an innovative bollard light which enhances the aesthetic and beauty of modern cityscapes. Its architectural design can meet the demands of different areas in squares, parks, gardens, sidewalks and other applications.



Product Features:

- Smile face design LED bollard light.
- Available with GFCI receptacle.
- Power Selectable.
- CCT Selectable.
- Unique and gorgeous appearance.
- 19.69 inches and 42 inches height optional.
- Type IV / Type V light distribution.



Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens	Net Wt. (lbs.)	Size (DxH (inch))
BL05-14	14W	120 lm/W	1,680 lm	9.9	19.68 inch: Ø6.5 x 19.68
BL05-24	24W	105 lm/W	2,520 lm	9.9	19.68 inch: Ø6.5 x 19.68
BL05-14	14W	120 lm/W	1,680 lm	15	42 inch: Ø6.5 x 42
BL05-24	24W	105 lm/W	2,520 lm	15	42 inch: Ø6.5 x 42

Disclaimer: Technical data is subject to change without prior notice.

Wagonway

Solar Pathfinder

Stylish & Reliable Solar Bollard Light

SOLAR
TECHNOLOGY
CHEAPER OPERATING
COSTS



Solar Pathfinder

 **Solar Technology**


The environmental benefits of solar energy are well known: solar energy provides a safe, renewable source of energy that reduces harmful greenhouse gas emissions and shrinks the carbon footprint.

Solar Pathfinder is an innovative LED solar bollard light with IP66, Mono-crystalline solar panel, UV resistant PC material. Its sleek and architecturally designed appearance makes the bollard perfect for all urban landscapes.



Product Features:

- Not grid tied, no power outages, no monthly electric bills.
- High efficiency up to 420 lm.
- Professional Type IV/Type V lighting distribution.
- Environmentally friendly - 100% powered by the sun, solar panels reduce fossil fuel consumption.
- Battery backup available for cloudy or rainy days.
- 19.69 inches and 42 inches height optional.



Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens	Net Wt. (lbs.)	Size (DxH (inch))
SLB05-3	3W	100 lm/W	320 lm	11.24 / 14.55	Ø9.06 x 20.47 or 36.22
SLB05-3	3W	105 lm/W	340 lm	11.24 / 14.55	Ø9.06 x 20.47 or 36.22
SLB05-3	3W	130 lm/W	420 lm	11.24 / 14.55	Ø9.06 x 20.47 or 36.22

Disclaimer: Technical data is subject to change without prior notice.

Wagonway
Pathguide
 Stylish with Multiple Functions




Pathguide

Pathguide has an elegant cylindrical housing design which delivers 360° Type V light emission. Pathguide is an ideal landscape lighting solution that enhances the landscape and guides pedestrians. The smooth surface design also makes cleaning and maintenance easy.



Product Features:

- 360° coverage and visual comfort.
- 18.7 inches and 42 inches height optional.
- High output lumen efficiency up to 130 lm/W .
- Power Selectable.
- CCT Selectable.
- 30%, 50%, 75% and 100% power selectable.
- 100% aluminum alloy ADC12 and AL6063.
- Outdoor powder coating for anti-corrosion Bollard base



Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens	Net Wt. (lbs.)	Size (DxH (inch))
BL10-14	14W	130 lm/W	1,820 lm	8.4	1Ø8 x 18.7
BL10-25	25W	130 lm/W	3,250 lm	8.4	Ø8 x 18.7
BL10-14	14W	130 lm/W	1,820 lm	12.3	Ø8 x 42
BL10-25	25W	130 lm/W	3250 lm	12.3	Ø8 x 42

Disclaimer: Technical data is subject to change without prior notice.



Wagonway
Slim
 Dark Sky Friendly


Slim

Wagonway's Slim LED wall pack light delivers a full cut-off asymmetric beam angle. The wall pack is dark sky friendly and provides a stylish modern design.



Product Features:

- Simple yet elegant appearance.
- Power: 30W - 70W.
- Two housing sizes.
- High lumen efficiency.
- Photocell available to reduce power consumption.



Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens	Net Wt. (lbs.)	Size (LxWxH (inch))
UWP10-30	30W	140 lm/W	4,200 lm	3.1	7.7 x 3.8 x 7.3
UWP10-40	40W	140 lm/W	5,600 lm	6.1	11.1 x 4.9 x 8.0
UWP10-70	70W	140 lm/W	9,800 lm	6.1	11.1 x 4.9 x 8.0

Disclaimer: Technical data is subject to change without prior notice.



Wagonway
Duplo
 Dark Sky Friendly




Duplo

Duplo redefines wall pack lighting by offering a CCT and power selectable fixture for both full and semi-cut off. This aesthetically pleasing design is cost effective and also provide the option for emergency back-up. Duplo is the a highly versatile wall pack light fixture.



Product Features:

- Up to 160 Lumens per Watt.
- Power: 2 sizes ranging from 40W to 120W.
- IP66 & IK08, die-cast aluminum housing.
- 3 CCT & 3 Wattage selectable by DIP switches.
- Built-in photocell and EM Backup as option.
- Unified rear cover: Assemble semi-cut off or full-cut off optics for versatile application environments.



Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens	Net Wt. (lbs.)	Size (LxWxH (inch))
UWP15-80	80W	160 lm/W	12,800 lm	9.2	12.9 x 9 x 4.7
UWP15-120	120W	160 lm/W	19,200 lm	11.1	14.2 x 9.3 x 4.7

Disclaimer: Technical data is subject to change without prior notice.



Wagonway
Versa
 Functional Canopy Light


Versa

Versa canopy light is a great choice for gas stations. This light is a cost-effective lighting solution with a simple yet stylish design. Its aluminum die-casting heat sink is lightweight and provides excellent thermal performance. The built-in switch allows for 3 CCT and 4 Wattage levels to be selected, providing flexibility.



Features:

- Power: 75W, 100W, & 120W.
- High light efficacy up to 150 lm/w.
- Cost-effective solution with die-cast aluminum housing.
- Power Selectable.
- CCT Selectable.
- Multiple Installations: ceiling mounting, G 3/4 Conduit Mounting.
- IP65 & IK08.
- Operating Temperature: -30°C to + 50°C.
- Warranty: 5-Years.



Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens	Net Wt. (lbs.)	Size (LxWxH (inch))
CP05-75	75W	150 lm/W	11,250 lm	8.6	14.5 x 14.5 x 2.5
CP05-100	100W	150 lm/W	15,000 lm	8.6	14.5 x 14.5 x 2.5
CP05-120	120W	150 lm/W	18,000 lm	8.6	14.5 x 14.5 x 2.5

Disclaimer: Technical data is subject to change without prior notice.



Wagonway
Cycloid
 Functional Parking Garage Light









Cycloid

Cycloid offers an elegant, simple design with modern aesthetics. The 18W up light, provided as a standard design feature, eliminates the “cave effect,” often caused by traditional parking garage light fixtures. Cycloid is a great lighting choice for parking lots.



Features:

- Die-cast aluminum which has excellent heat dissipation effect.
- High output efficiency up to 140LM/W.
- PIR/microwave sensor are optional.
- Power Selectable.
- CCT Selectable.
- Dual uplight module: 9W (900 lm) + 9W (900 lm).
- Emergency backup available.
- 3/4-inch. NPT mount and ceiling mount are available.

- ▶  T5
- ▶  T5(uplight)
- ▶  IP65
- ▶  IK08
- ▶  140lm/W
- ▶  Corrosion resistance
- ▶  CCT adjustable
- ▶  Power adjustable

Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumen	Net Wt. (lbs.)	Size (LxWxH (inch))
CP10-25	25W	130 lm/w @3000K, 140 lm/w @4000K	3,500 lm	4.6	10.7 x 3
CP10-40	40W	130 lm/w @3000K, 140 lm/w @4000K	5,600 lm	4.6	10.7 x 3
CP10-60	60W	130 lm/w @3000K, 140 lm/w @4000K	8,400 lm	4.6	10.7 x 3
CP10-80	80W	130 lm/w @3000K, 140 lm/w @4000K	11,200 lm	6.4	12.7 x 3.3
CP10-100	100W	130 lm/w @3000K, 140 lm/w @4000K	14,000 lm	6.4	12.7 x 3.3

Disclaimer: Technical data is subject to change without prior notice.



www.wagonway.com

2200 Post Oak Blvd Suite 1000 Houston, TX 77056

(832) 553-3649